

Release Notice for LANDATA® Broker Web Service Changes to Version 5.90, 6.00, 6.10 (Release 21.12.00)

Contact details for further information or assistance:

Technical Enquiries:

via ServiceNow <https://victorianlrsprod.service-now.com/vlrs> - log into the system and raise help desk ticket. **Escalation point:** SERV Help Desk - Ph 03 9194 0800

1 Relevant Dates

LANDATA® Software Version Number	UAT Release Date	Production Release Date
5.90	NA	Will be decommissioned on 15/11/2024
6.00	NA	3/05/2024
6.10	15/08/2024	22/08/2024

2 LANDATA® Broker Web Service version 5.90, 6.00, 6.10

LANDATA® Broker Web Service endpoints are as follow:

Production

Broker Web Service Version No.	Production End Point	Changes
5.90	https://portal.landata.vic.gov.au/Portal/5.90/WebServices/portal.asmx	Will be decommissioned
6.00	https://portal.landata.vic.gov.au/Portal/6.00/WebServices/portal.asmx	Existing
6.10	https://portal.landata.vic.gov.au/Portal/6.10/WebServices/portal.asmx	New

Note: the documentations are shared separately, please refer to the contact information above this document.

UAT

Broker Web Service Version No.	New UAT End Point	Changes
5.90	https://portal.test.landata.vic.gov.au/Portal/5.90/WebServices/portal.asmx	Decommissioned
6.00	https://portal.test.landata.vic.gov.au/Portal/6.00/WebServices/portal.asmx	Existing
6.10	https://portal.test.landata.vic.gov.au/Portal/6.10/WebServices/portal.asmx	New

WS 6.10 Changes Overview

The version upgrade to 6.10 is primarily to pave way to the future support of a brand-new product – Domestic Building Insurance report. Please get in touch with SERV's Data Services & Insights (DSI) department for more information and how to gain access to it in the future.

Brokers Web Service Document Changes

No.	Document name	Change details	Changes
1	Appendix C Classes	<ul style="list-style-type: none"> Added a new element 'policyNumber' in the 'IdentifierList' class Added a new element 'policyNumber' in the 'ApplicationData' class 	Update
2	Appendix D Domains	<ul style="list-style-type: none"> Added a new element 'Policy Number' in the 'Extra Data (Property Identifier)' section Added a new identifier 'policyNumber' index 25 for the deleteOption parameter 	Update
3	Appendix E Exception Codes	N/A	N/A
4	Appendix F Formats and Validations	N/A	N/A
5	Appendix V searchString	N/A	N/A
6	Appendix W Web Method Parameters	Added a new element 'policyNumber' in the 'Input Parameters Supplied via IdentifierList Structure' section	Update
7	Appendix X XML Schema	<ul style="list-style-type: none"> Added a new element 'PolicyNumber' inside the 'Element - Property' section Added a new 'Element - PolicyNumber' section and provided sample and brief explanation. 	Update
8	LANDATA Web Services	<ul style="list-style-type: none"> Added a new element 'PolicyNumber' under the 'Multiple Identifier Handling' section, including the number of instances, for the Property Identifier Added a new element 'Policy Number' in the Extra Data (Property Identifier) table Added a new element 'policyNumber' and the associated index in the 'deleteOption affected property identifier(s)' table. Fixed the Index sequencing for [instrument, rssReadingDate, wisNumber] in the deleteOption affected property identifier(s) table to match the actual code 	Update

1 Enhancements and Maintenance Changes in Release 21.12.00

- PropertyIdentifierBuildMultiple – addition of policyNumber to the identifierList class

Input Parameters:

Name	Type	Description
accountId	string	An id that uniquely identifies the end-customer.
sessionId	Int	A 32 bit integer value which uniquely identifies a user session.
customerReference	string	20 characters maximum.
identifierList	IdentifierList	Please refer “Input Parameters Supplied via IdentifierList Structure” overleaf and Appendix C.
isRegenerate	String	Y or N. Used to force regeneration of the XML document (eg the end-user Cancels the current order to start again).
isSearch	String	Used to control whether the PTS matching process is used (Y/N).
maxProperties	Int	Maximum number of properties to be found.
overflowOption	Int	removeFirst = 1, removeLast =2, discard=3, noLimit=4

- PropertyIdentifierDelete – addition of policyNumber to the identifierList class

Input Parameters:

Name	Type	Description
accountId	string	An id that uniquely identifies the end-customer.
sessionId	Int	A 32 bit integer value which uniquely identifies a user session.
customerReference	string	20 characters maximum.
identifierList	IdentifierList	Please refer "Input Parameters Supplied via IdentifierList Structure" with <i>PropertyIdentifierBuildMultiple</i> in prior pages and Appendix C.
deleteOption	ArrayOfInt	Refer <i>LANDATA Web Services</i> manual 6.2.11

- PropertyExtraDataValidate – added validation of the ‘Policy Number’ (optional) extra data

PropertyExtraDataValidate Input Parameters:

Name	Type	Description
accountId	string	An id that uniquely identifies the end-customer.
sessionId	Int	A 32 bit integer value which uniquely identifies a user session.
customerReference	string	20 characters maximum.
applicationId	Int	A unique identifier for applications.
propertyIdentifiers	string	XML document
notificationEmailAddress	string	E-mail address where notification required to be sent
isDeselectIfMissingData	string	If Y and extra data has not been supplied, the certificate(s) will be deselected without exception. If N and extra data has not been supplied, exception(s) will be emitted.
nodRequestXml	string	NOD request data xml string

- PropertyApplicationCommit – added validation of the ‘Policy Number’ (optional) extra data

PropertyApplicationCommit Input Parameters:

Name	Type	Description
accountId	string	An id that uniquely identifies the end-customer.
sessionId	int	A 32 bit integer value which uniquely identifies a user session.
customerReference	string	20 characters maximum.
actionRequired	int	0 = invoke all processing; 1 = accept and validate certificate selections only; 2 = create only, following a preceding ActionRequired = 1 call.
applicationId	int	A unique identifier for applications.
propertyIdentifiers	string	XML document
applicantData	ApplicantData	An applicant data object, refer to Appendix C for details.
selectionSettingsTable	ArrayOfSelectionSettingsItem	A table of selection settings objects. Refer to Appendix C for details.
pdfSettings	PdfSettings	A PDF settings object, refer to Appendix C for details.
orderOptionTable	ArrayOfOrderOption	A table of order option objects. Refer to Appendix C for details.
postageInformation	PostageInformation	A Postage Information object, refer to Appendix C for details.